

## **Please note:**

**While all efforts have been made to ensure this proof has been produced accurately, we would ask you check all aspects thoroughly.**

**In approving this proof you accept responsibility for any errors, omissions or inaccuracies and any subsequent costs.**

Telephone 0870 777 1522  
 Facsimile 01935 829215  
 Information sheet No. 1

# Spiral Balances for Windows and Servery Hatches

Name \_\_\_\_\_




Address \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ Post Code \_\_\_\_\_

\_\_\_\_\_ Telephone \_\_\_\_\_

Customer Order No. \_\_\_\_\_  
 (Please mark clearly if enquiry only)



Dimensions required are illustrated in these diagrams

Customer's window ref.										
1. Number of windows where both top and bottom sashes move.										
2. Number of windows where one sash only moves (delete either question 4 or 5).										
Specify whether normal (NORM) balances are required or if balances are to be modified for Supertilt (SUP).										
3. DIMENSION 'A' Height of sash run (must be less than B + C Fig 2).										
4. DIMENSION 'B' Height of top sash (NB. excluding horn).										
Length of horn if any.										
5. DIMENSION 'C' Height of bottom sash (NB. excluding horn).										
Length of horn if any.										
6. DIMENSION 'E' See fig.3. (NB. curve of arch only).										
7. Width of sash.										
8. Glazed weight of each sash	Top									
	Bottom									
9. Timber, aluminium or upvc.										
10. Type of glass (glass thickness, single or double glazed).										

Please tick if you require a winding tool or coloured balances (white as standard):  
 D-Type Adj Tool:  Black Tube  Brown Tube  Grey Tube

## Supertilt

	No. Required
Plastic Guide Catches (each)	
Brass Guide Catches (set of 4)	

Jamb Channel	White	
(Tick box as required)	Brown	

Enter accessory quantities in boxes below: (Other finishes available. Please enquire)

<p>BH-LOC-00003 Lockable Brass Fitch Catch</p>	<p>BF-CCH-05562 Brass Sash Lift</p>	<p>BF-HDL-06006 Brass Bow Handle</p>	<p>BH-EYE-40003 Brass Sash Eye</p>	<p>BH-FST-40001 Brighton Fastener</p>

# balanceUK Spiral Sash Balances

## 50 Pairs and over

Balance Reference Number (=tube length in inches)	Tube length in mm's Bal. ref. no. x 25.4	up to 13.61kg		up to 18.15kg	purpose made up to 20.41kg	purpose made from 20.41kg to 24.95kg	purpose made up to 37.7kg	purpose made up to 45.4kg
		(£/pair)		(£/pair)	(£/pair)	(£/pair)	(£/pair)	(£/pair)
		Type D2	Type D4	Type D6	Type F0	Type F1	Type K0	Type M1
up to 18	up to 457	6.36	6.37	9.26	15.30	23.01	30.75	35.48
19 to 24	483 to 610	6.83	7.07	10.32	16.88	24.63	32.43	37.02
25 to 30	635 to 762	7.27	7.74	11.46	18.52	26.30	34.07	38.05
31 to 36	787 to 914	7.74	8.18	11.97	20.37	28.69	37.09	42.19
37 to 42	940 to 1067	8.23	8.73	12.80	22.47	31.17	39.90	45.70
43 to 48	1092 to 1219	-	9.59	14.05	24.67	33.22	41.80	47.52
49 to 53	1245 to 1346	-	10.50	15.40	27.03	36.28	45.69	51.02
54 to 60	1376 to 1524	-	-	-	29.41	39.55	49.77	54.89
61 to 66	1549 to 1676	-	-	-	31.66	42.56	53.58	58.97
67 to 72	1702 to 1839	-	-	-	34.07	45.83	57.68	63.36

## 49 Pairs or less

Balance Reference Number (=tube length in inches)	Tube length in mm's Bal. ref. no. x 25.4	up to 13.61kg		up to 18.15kg	purpose made up to 20.41kg	purpose made from 20.41kg to 24.95kg	purpose made up to 37.7kg	purpose made up to 45.4kg
		(£/pair)		(£/pair)	(£/pair)	(£/pair)	(£/pair)	(£/pair)
		Type D2	Type D4	Type D6	Type F0	Type F1	Type K0	Type M1
up to 18	up to 457	9.64	9.65	14.03	23.19	34.87	46.60	53.77
19 to 24	483 to 610	10.35	10.71	15.65	25.58	37.33	49.14	56.11
25 to 30	635 to 762	11.02	11.74	17.37	28.07	39.85	51.63	57.67
31 to 36	787 to 914	11.73	12.39	18.15	30.87	43.48	56.22	63.94
37 to 42	940 to 1067	12.48	13.23	19.40	34.05	47.23	60.46	69.26
43 to 48	1092 to 1219	-	14.53	21.29	37.39	50.34	63.35	72.02
49 to 53	1245 to 1346	-	15.92	23.34	40.96	54.98	69.24	77.32
54 to 60	1376 to 1524	-	-	-	44.57	59.94	75.43	83.18
61 to 66	1549 to 1676	-	-	-	47.97	64.50	81.20	89.36
67 to 72	1702 to 1839	-	-	-	51.63	69.46	87.42	96.02

- All balances can be supplied in white, black, grey, cream or brown at no extra charge.
- Package and carriage (UK mainland only)
  - Orders up to £200, overnight carriage - standard charge £13.00
  - Orders over £200 - free carriage on 3-day carrier
- All prices are exclusive of VAT

### Note:

A pair of balances consists of two identical units for one sash only. All weights referred to above are in respect of individual sashes. If accurate glazed weights are not provided Balance UK Ltd. cannot accept responsibility for the incorrect supply of balances.

## Supertilt Kit - Price per window

	Sash Length		
Size 1s	Less than 19"	(483mm)	<b>£29.98</b>
Size 1	19" - 21"	(483 - 533mm)	<b>£29.98</b>
Size 2	21" - 31"	(533 - 787mm)	<b>£32.37</b>
Size 3	31" - 41"	(787 - 1041mm)	<b>£35.23</b>
Size 4	41" - 51"	(1041 - 1295mm)	<b>£38.32</b>

## Jamb Channel - Price per length - specify white or brown.

Sash Length		
4'6"	(1372mm)	<b>£7.74</b>
5'6"	(1676mm)	<b>£9.48</b>
6'6"	(1981mm)	<b>£11.17</b>
8'6"	(2590mm)	<b>£14.58</b>

(Note: only balances with special Supertilt feet will operate in conjunction with the Supertilt Kit: price excludes balances and jamb channel.)

30 - 32 Martock Business Park, Great Western Road, Martock, Somerset. TA12 6HB.

Telephone 0870 777 1522 Facsimile 01935 829215 www.balanceuk.co.uk